According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

Version Revision Date: SDS Number: Date of last issue: 22.03.2023 1.4 17.07.2023 100000000357 Date of first issue: 30.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : PE125GU S DG SM

Product code : 0000000000011607

11607

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Powder coating

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Karl Bubenhofer AG Hirschenstrasse 26 CH-9201 Gossau SG

Telefon: +41 (0)71/387 41 41, Telefax:+41 (0)71/387 41 51

Auskunftgebender Bereich (Bürozeiten):

Verantwortliche Chemikalien-/Produktesicherheit, Dr. Christina Ott

Telefon: +41 (0)71/387 41 35, Telefax: +41 (0)71/387 43 04

Email: regulatory@kabe-farben.ch

· Vertrieb Deutschland

KABE Pulverlack Deutschland GmbH Sofienstrasse 36 D-76676 Graben-Neudorf Telefon: +49

(0)7255 99-161, Telefax: +49(0)7255

99-163 (Bürozeiten)

Vertrieb Österreich:

KABE-Farben GmbH Langegasse 31 A-6850 Dornbirn Telefon (Bürozeiten): +43 (0)5572-21568, Telefax: +43 (0)5572-2094

• Vertrieb Polen:

Farby KABE Polska Sp. z o.o. ul. Slaska 88, 40-742 Katowice tel. +48 32 204 64 60, fax +48 32 204 64 66, (Bürozeiten), proszkowe@farbykabe.pl

1.4 Emergency telephone number

Switzerland: Poisoning emergencies: Tox Info Suisse, telephone: +41 (0)44/251 66 66 or 145 (only within Switzerland) Germany: Poison Control Center Berlin: +49(0)30-19240 Austria: Poison Control Center AKA Vienna: +43(0)1/4064343 Poland: National Poison Information Center and Clinical Department of Toxicology: +48(42)6579900

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 H319: Causes serious eye irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P261 Avoid breathing dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous components which must be listed on the label:

Reaktionsmasse von Glycidylestern zinc di(benzothiazol-2-yl) disulphide

Additional Labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Paint

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)			
Reaktionsmasse von Glycidylestern	Not Assigned	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 2; H361 STOT RE 2; H373 Aquatic Chronic 2; H411	>= 1 - < 2,5			
zinc di(benzothiazol-2-yl) disulphide	155-04-4 205-840-3	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25			
propylidynetrimethanol	77-99-6 201-074-9	Repr. 2; H361	>= 0,1 - < 1			
Substances with a workplace exposure limit :						
barium sulfate	7727-43-7 231-784-4		>= 1 - < 10			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

Version Revision Date: SDS Number: Date of last issue: 22.03.2023 17.07.2023 10000000357 Date of first issue: 30.12.2022 1.4

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

> Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not

eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
barium sulfate	7727-43-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Equipment should conform to EN 166

Eye wash bottle with pure water Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rub-

ber category III according to EN 374.

Remarks : The choice of an appropriate glove does not only depend on

its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Skin should be washed after contact. Use a high fat protective

cream after cleaning skin.

Skin and body protection : Workers should wear antistatic footwear.

Dust impervious protective suit

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : Use the indicated respiratory protection if the occupational

exposure limit is exceeded and/or in case of product release

(dust).

Suitable respiratory equipment:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

Half mask with a particle filter P2 (EN 143)

Protective measures : Ensure staff are informed of and trained on the nature of ex-

posure and basic actions to minimise exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : pigmented

Odour : very faint

Flash point : Not applicable

Lower explosion limit / Lower

flammability limit

: Lower explosion limit 50.000 - 90.000 mg/m3

Density : 1,4105 g/cm3 (20 °C)

Method: Calculated value

Solubility(ies)

Water solubility : insoluble

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

Reaktionsmasse von Glycidylestern:

Acute oral toxicity : LD50 (Rat): 300 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

zinc di(benzothiazol-2-yl) disulphide:

Acute oral toxicity : LD50 (Rat): 7.500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 7.940 mg/kg

propylidynetrimethanol:

Acute oral toxicity : LD50 (Rat): 14.700 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

barium sulfate:

Acute oral toxicity : LD50 (Rat): > 15.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation and/or dermatitis.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

Components:

Reaktionsmasse von Glycidylestern:

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

Reaktionsmasse von Glycidylestern:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : Causes sensitisation.

Components:

Reaktionsmasse von Glycidylestern:

Result : May cause sensitisation by skin contact.

zinc di(benzothiazol-2-yl) disulphide:

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Reaktionsmasse von Glycidylestern:

Reproductive toxicity - As- : Suspected human reproductive toxicant

sessment

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

propylidynetrimethanol:

Reproductive toxicity - As-

sessment

Suspected human reproductive toxicant

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Reaktionsmasse von Glycidylestern:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Reaktionsmasse von Glycidylestern:

Toxicity to fish : LC50 (Fish): 8,8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

er : t

EC50 (Daphnia (water flea)): 81 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 2,72 mg/l

Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

zinc di(benzothiazol-2-yl) disulphide:

Toxicity to fish : LC50 (Fish): 0,73 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 0,71 mg/l

Exposure time: 48 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

Version Revision Date: SDS Number: Date of last issue: 22.03.2023 17.07.2023 10000000357 Date of first issue: 30.12.2022 1.4

Toxicity to algae/aquatic EC50 (algae): 0,5 mg/l

plants Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects.

propylidynetrimethanol:

: LC50 (Fish): > 1.000 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 13.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

EbC50 (algae): > 1.000 mg/l

Exposure time: 72 h plants

12.2 Persistence and degradability

Components:

Reaktionsmasse von Glycidylestern:

Biodegradability

Result: Not readily biodegradable.

zinc di(benzothiazol-2-yl) disulphide:

Biodegradability

Result: Not biodegradable

propylidynetrimethanol:

Biodegradability

Result: Not readily biodegradable.

barium sulfate:

Biodegradability

Result: Not biodegradable

12.3 Bioaccumulative potential

Components:

Reaktionsmasse von Glycidylestern:

Partition coefficient: n-

: log Pow: 0,650

octanol/water

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

zinc di(benzothiazol-2-yl) disulphide:

Bioaccumulation : Bioconcentration factor (BCF): < 8,00

Partition coefficient: n-

octanol/water

log Pow: 5,020

propylidynetrimethanol:

Bioaccumulation : Bioconcentration factor (BCF): < 17,00

Partition coefficient: n-

octanol/water

: log Pow: -0,47 (26 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.

Dispose of in accordance with local regulations.

Refer to manufacturer/ supplier/ for information on disposal/

recovery/ recycling.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

UK REACH List of substances subject to authorisation

(Annex XIV)

: Not applicable

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Reaktionsmasse von Glycidylestern zinc di(benzothiazol-2-yl) disulphide

E2

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Polyester resin

Titanium dioxide (> 10 µm)

Reaktionsmasse von Glycidylestern

Castor oil, hydrogenated

Acrylatpolymer

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

VersionRevision Date:SDS Number:Date of last issue: 22.03.20231.417.07.2023100000000357Date of first issue: 30.12.2022

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H361 : Suspected of damaging fertility or the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



PE125GU S DG SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.03.2023

 1.4
 17.07.2023
 100000000357
 Date of first issue: 30.12.2022

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N