According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **PE50UDS S NS SM**

Version	Revision Date:	SDS Number:	Date of last issue: 13.07.2023
1.3	12.10.2023	10000000171	Date of first issue: 14.01.2023

### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name:PE50UDS S NS SMProduct code:0000000000012880<br/>12880

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Powder coating stance/Mixture

### 1.3 Details of the supplier of the safety data sheet

Karl Bubenhofer AG Hirschenstrasse 26 CH-9201 Gossau SG Telefon: +41 (0)71/387 41 41, Telefax:+41 (0)71/387 41 51 Auskunftgebender Bereich (Bürozeiten): Verantwortliche Chemikalien-/Produktesicherheit, Dr. Christina Ott Telefon: +41 (0)71/387 41 35, Telefax: +41 (0)71/387 43 04 Email: regulatory@kabe-farben.ch Vertrieb Deutschland KABE Pulverlack Deutschland GmbH Sofienstrasse 36 D-76676 Graben-Neudorf Telefon: +49 (0)7255 99-161, Telefax: +49(0)7255 99-163 (Bürozeiten) • Vertrieb Österreich: KABE-Farben GmbH Langegasse 31 A-6850 Dornbirn Telefon (Bürozeiten): +43 (0)5572-21568, Telefax: +43 (0)5572-2094 • Vertrieb Polen: Farby KABE Polska Sp. z o.o. ul. Slaska 88, 40-742 Katowice tel. +48 32 204 64 60, fax +48 32 204 64 66, (Bürozeiten), proszkowe@farbykabe.pl

### **1.4 Emergency telephone number**

Switzerland: Poisoning emergencies: Tox Info Suisse, telephone: +41 (0)44/251 66 66 or 145 (only within Switzerland) Germany: Poison Control Center Berlin: +49(0)30-19240 Austria: Poison Control Center AKA Vienna: +43(0)1/4064343 Poland: National Poison Information Center and Clinical Department of Toxicology: +48(42)6579900

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Cat- H412: Harmful to aquatic life with long lasting ef-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version 1.3	Revision Date: 12.10.2023	SDS Nur 1000000		Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
ego	ry 3		fects	
2.2 Labe	l elements			
	elling (REGULATION ( 9/720, and UK SI 2020/		'2/2008) as	amended by GB-CLP Regulation, UK SI
Haz	ard statements	: H412	Harmful	o aquatic life with long lasting effects.
Pred	cautionary statements	: Preve	ention:	
		P273	Avoid rel	ease to the environment.
		Dispo	sal:	
		P501 dispos	Dispose sal plant.	of contents/ container to an approved waste

### **Additional Labelling**

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

EUH208 Contains zinc di(benzothiazol-2-yl) disulphide, benzothiazole-2-thiol.

May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature : Paint

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
zinc di(benzothiazol-2-yl) disulphide	155-04-4 205-840-3	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
propylidynetrimethanol	77-99-6 201-074-9	Repr. 2; H361	>= 0,1 - < 1
benzothiazole-2-thiol	149-30-4 205-736-8 613-108-00-3	Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 0,1 - < 0,25

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDS S NS SM

Version 1.3	Revision Date: 12.10.2023	SDS Number: 100000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
			Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1
Subst	ances with a workpla	ce exposure limit :	
calciu	im carbonate	471-34-1 207-439-9	>= 10 - < 20

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms a	and	effects, both acute and delayed

### None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

4.2

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version 1.3	Revision Date: 12.10.2023		0S Number: 0000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
		_	cumstances and	the surrounding environment.
5.2 Spec	cial hazards arising from	the	e substance or m	ixture
Spe figh	•	:	Do not allow run- courses.	off from fire fighting to enter drains or water
5.3 Advi	ce for firefighters			
	cial protective equipment irefighters	:	In the event of fir	e, wear self-contained breathing apparatus.
Fur	ther information	:	must not be disc Fire residues and	ated fire extinguishing water separately. This narged into drains. I contaminated fire extinguishing water must accordance with local regulations.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.

### 6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	--

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up :		Keep in suitable, closed containers for disp	osal.
---------------------------	--	--	-------

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	
		Do not breathe vapours/dust.
		Avoid exposure - obtain special instructions before use.
		Avoid contact with skin and eyes.
		For personal protection see section 8.
		Smoking, eating and drinking should be prohibited in the application area.
		Dispose of rinse water in accordance with local and national regulations.
		Persons susceptible to skin sensitisation problems or asthma,

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Vers 1.3	sion	Revision Date: 12.10.2023		DS Number: 00000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023	
				<b>u</b>	or recurrent respiratory disease should not ny process in which this mixture is being	
Advice on protection against			:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.		
	Hygier	e measures	:	Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke.		
7.2 Conditions for safe storage, including any incompatibilities						
Requirements for storage : areas and containers		:	Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.			
	Furthe age sta	r information on stor- ability	:		ce. n if stored and applied as directed.	

### 7.3 Specific end use(s)

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWÁ (Respirable dust)	4 mg/m3	GB EH40

### 8.2 Exposure controls

Personal protective equipment	
Eye/face protection :	Equipment should conform to EN 166 Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	
Material :	Chemical resistant gloves made of butyl rubber or nitrile rub- ber category III according to EN 374.
Remarks :	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDS S NS SM

Version 1.3	Revision Date: 12.10.2023	SDS Number: 100000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
		through times, a cal strain, durati durability of a ch tably shorter tha ing to EN 374, o temperature). G there is any indi through. The su discussed with	oducer concerning permeability and break and of special workplace conditions (mechani- ion of contact). Be aware that in daily use the hemical resistant protective glove can be no- an the break through time measured accord- due to the numerous outside influences (e.g. cloves should be discarded and replaced if ication of degradation or chemical break- hitability for a specific workplace should be the producers of the protective gloves. Skin ed after contact. Use a high fat protective aning skin.
Skin	and body protection	Dust impervious Choose body pr	wear antistatic footwear. s protective suit rotection according to the amount and concen- ngerous substance at the work place.
Resp	piratory protection	exposure limit is (dust). Suitable respira	ed respiratory protection if the occupational s exceeded and/or in case of product release tory equipment: a particle filter P2 (EN 143)
Prote	ective measures		informed of and trained on the nature of ex- ic actions to minimise exposure.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	pigmented
Odour	:	very faint
Flash point	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 20.000 - 60.000 mg/m3
Density	:	1,6341 g/cm3 (20 °C) Method: Calculated value
Solubility(ies) Water solubility	:	insoluble

### 9.2 Other information

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version	Revision Date:	SDS Number:	Date of last issue: 13.07.2023
1.3	12.10.2023	10000000171	Date of first issue: 14.01.2023

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid	: Not applicable
--------------------	------------------

### **10.6 Hazardous decomposition products**

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

#### Components:

zinc di(benzothiazol-2-yl) disulphide:Acute oral toxicity:LD50 (Rat): 7.500 mg/kg						
Acute dermal toxicity	:	LD50 (Rabbit): > 7.940 mg/kg				
propylidynetrimethanol: Acute oral toxicity	:	LD50 (Rat): 14.700 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): > 0,85 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity				
Acute dermal toxicity	:	LD50 (Rabbit): > 10.000 mg/kg				
<b>benzothiazole-2-thiol:</b> Acute oral toxicity	:	LD50 (Rat): 3.800 mg/kg				

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version 1.3	Revision Date: 12.10.2023		DS Number: 0000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
Acute	inhalation toxicity	:	LC50 (Rat): > 1.2 Exposure time: 4 Test atmosphere:	h
Acute	dermal toxicity	:	LD50 (Rabbit): >	7.940 mg/kg
calciu	m carbonate:			
Acute	oral toxicity	:	LD50 (Rat): 6.450	) mg/kg
Acute	dermal toxicity	:	LD50 (Rat): > 5.0	00 mg/kg
	orrosion/irritation assified based on availa	able	information.	
<u>Produ</u> Remar		:	May cause skin ir	ritation and/or dermatitis.
	<b>is eye damage/eye irr</b> assified based on availa			
<u>Produ</u> Remar		:	Product dust may system.	be irritating to eyes, skin and respiratory
Respir	ratory or skin sensitis	satio	on	
	ensitisation assified based on availa	able	information.	
-	ratory sensitisation assified based on availa	able	information.	
<u>Produ</u> Remar		:	Causes sensitisat	tion.
Comp	onents:			
zinc d	i(benzothiazol-2-yl) di	isul	phide:	
Result		:	May cause sensit	isation by skin contact.
	cell mutagenicity assified based on availa	able	information.	
	ogenicity			
	assified based on availa	able	information.	
-	ductive toxicity assified based on availa	able	information.	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

.3	Revision Date: 12.10.2023	SDS Number: 100000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023	
<u>Comp</u>	onents:			
propy	lidynetrimethanol:			
Repro- sessm	ductive toxicity - As- tent	: Suspected hu	man reproductive toxicant	
STOT	- single exposure			
Not cla	assified based on ava	ilable information.		
STOT	- repeated exposure	e		
Not cla	assified based on ava	ilable information.		
Aspira	ation toxicity			
Not cla	assified based on ava	ilable information.		
Furthe	er information			
Produ	ict:			
_	rks	: No data availa	able	

### 12.1 Toxicity

Components:					
zinc di(benzothiazol-2-yl) disulphide:					
Toxicity to fish	:	LC50 (Fish): 0,73 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 0,71 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (algae): 0,5 mg/l Exposure time: 72 h			
Ecotoxicology Assessment	Ecotoxicology Assessment				
Acute aquatic toxicity	:	Very toxic to aquatic life.			
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.			
propylidynetrimethanol:					
Toxicity to fish	:	LC50 (Fish): 14.400 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 13.000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (algae): > 1.000 mg/l Exposure time: 72 h			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Versic 1.3	on	Revision Date: 12.10.2023	SDS Number: 100000000171		Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
b	enzot	hiazole-2-thiol:			
Т	oxicity	to fish	:	LC50 (Fish): 0,73 Exposure time: 96	
		to daphnia and other invertebrates	:	EC50 (Daphnia (v Exposure time: 48	
	oxicity	v to algae/aquatic	:	EC50 (algae): 0,5 Exposure time: 72	
	/I-Facto city)	or (Acute aquatic tox-	:	1	
	/I-Facto oxicity)	or (Chronic aquatic	:	1	
с	alciur	n carbonate:			
Т	oxicity	v to fish	:	LC50 (Fish): 2.00 Exposure time: 96	
		to daphnia and other invertebrates	:	EC50 (Daphnia (v Exposure time: 48	vater flea)): > 1.000 mg/l 3 h
	oxicity	v to algae/aquatic	:	EC50 (algae): > 2 Exposure time: 72	
12.2 F	Persist	tence and degradabil	ity		
<u>C</u>	Compo	onents:			
		<b>(benzothiazol-2-yl) di</b> radability	sulı :	ohide:	
				Result: Not biode	gradable
•	•••	dynetrimethanol:			
B	Biodeg	radability	:		
				Result: Not readily	y biodegradable.
b	enzot	hiazole-2-thiol:			
В	Biodeg	radability	:		
				Result: Not readily	y biodegradable.
С	alciur	n carbonate:			
В	Biodeg	radability	:		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version 1.3	Revision Date: 12.10.2023		OS Number: 0000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023	
			Result: Not re	adily biodegradable.	
12.3 Bioa	ccumulative potential				
<u>Com</u>	oonents:				
zinc o	di(benzothiazol-2-yl) d	isul	phide:		
Bioac	cumulation	:	Bioconcentrat	ion factor (BCF): < 8,00	
	ion coefficient: n- ol/water	:	log Pow: 5,02	D	
propy	ylidynetrimethanol:				
Bioac	cumulation	:	Bioconcentrat	on factor (BCF): < 17,00	
	ion coefficient: n- ol/water	:	log Pow: -0,47 (26 °C)		
benze	othiazole-2-thiol:				
Bioac	cumulation	:	Bioconcentrat	on factor (BCF): < 8,00	
	ion coefficient: n- ol/water	:	: log Pow: 2,420		
12.4 Mobi	lity in soil				
No da	ata available				
12.5 Resu	Its of PBT and vPvB a	sse	ssment		
Prod	uct:				
Asses	ssment	:	to be either pe	e/mixture contains no components considerec ersistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of r.	
12.6 Othe	r adverse effects				
Prod	uct:				
	crine disrupting poten-	:	: The substance/mixture does not contain components conserved to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher.		
Additi matio	onal ecological infor- n	:	unprofessiona	ntal hazard cannot be excluded in the event o I handling or disposal. uatic life with long lasting effects.	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version	Revision Date:	SDS Number:	Date of last issue: 13.07.2023
1.3	12.10.2023	10000000171	Date of first issue: 14.01.2023

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	<ul> <li>Do not dispose of with domestic refuse.</li> <li>Dispose of in accordance with local regulations.</li> <li>Refer to manufacturer/ supplier/ for information on disposal/ recovery/ recycling.</li> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemi- cal or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Packaging that is not properly emptied must be disposed of as the unused product.</li> </ul>

### **SECTION 14: Transport information**

14.1 UN number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **PE50UDS S NS SM**

Version 1.3	Revision Date: 12.10.2023		Number: 00000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023	
	(Cargo) (Passenger)		0	a dangerous good a dangerous good	
<b>14.5 Environmental hazards</b> Not regulated as a dangerous					
14.6 Special precautions for user					
Rema	rks		ot classified as o tions.	dangerous in the meaning of transport regu-	

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

JK REACH List of restrictions (Annex 17)			Not applicable		
UK REACH Candidate list of sconcern (SVHC) for Authorisa	, ,	:	Not applicable		
The Persistent Organic Pollut Regulation (EU) 2019/1021 a ain)		:	Not applicable		
Regulation (EC) No 1005/200 plete the ozone layer	9 on substances that de-	:	Not applicable		
UK REACH List of substances subject to authorisation (Annex XIV)			Not applicable		
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation			zinc di(benzothiazol-2-yl) disulphide benzothiazole-2-thiol		
Control of Major Accident Hazards Regulations 2015 (COMAH)			applicable		
The components of this product are reported in the following inventories:					
TCSI	: Not in compliance with	n the	einventory		
TSCA	: Product contains substance(s) not listed on TSCA inventory.				
AIIC	: Not in compliance with	einventory			
DSL : This product contains on the Canadian DSL			following components that are not NDSL.		
	Polyesterharz				

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDS S NS SM

_	Version 1.3	Revision Date: 12.10.2023		0S Number: 0000000171	Date of last issue: 13.07.2023 Date of first issue: 14.01.2023
				13463-67-7	
	ENCS		:	Not in compliance	with the inventory
	ISHL		:	Not in compliance	with the inventory
	KECI		:	Not in compliance	with the inventory
PICCS			:	Not in compliance	with the inventory
	IECSC		:	Not in compliance	with the inventory
	NZIoC		:	Not in compliance	with the inventory
	TECI		:	Not in compliance	with the inventory

### 15.2 Chemical safety assessment

### **SECTION 16: Other information**

Full text of H-Statements					
H317	:	May cause an allergic skin reaction.			
H361	:	Suspected of damaging fertility or the unborn child.			
H400	:	Very toxic to aquatic life.			
H410	:	Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations					
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Repr.	:	Reproductive toxicity			
Skin Sens.	:	Skin sensitisation			
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits			
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;

### SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDS S NS SM

Version	Revision Date:	SDS Number:	Date of last issue: 13.07.2023
1.3	12.10.2023	10000000171	Date of first issue: 14.01.2023

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Classification of the mixture: Aquatic Chronic 3 H412 Classification procedure: Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N