According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.1 22.03.2023 100000000184 Date of first issue: 12.01.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : PE50UDSS S NS SM

Product code : 0000000000013240

13240

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Powder coating

stance/Mixture

# 1.3 Details of the supplier of the safety data sheet

Karl Bubenhofer AG Hirschenstrasse 26 CH-9201 Gossau SG

Telefon: +41 (0)71/387 41 41, Telefax:+41 (0)71/387 41 51

Auskunftgebender Bereich (Bürozeiten):

Verantwortliche Chemikalien-/Produktesicherheit, Dr. Christina Ott

Telefon: +41 (0)71/387 41 35, Telefax: +41 (0)71/387 43 04

Email: regulatory@kabe-farben.ch

· Vertrieb Deutschland

KABE Pulverlack Deutschland GmbH Sofienstrasse 36 D-76676 Graben-Neudorf Telefon: +49 (0)7255 99-161, Telefax: +49(0)7255

99-163 (Bürozeiten)

Vertrieb Österreich:

KABE-Farben GmbH Langegasse 31 A-6850 Dornbirn Telefon (Bürozeiten): +43 (0)5572-21568, Telefax: +43 (0)5572-2094

• Vertrieb Polen:

Farby KABE Polska Sp. z o.o. ul. Slaska 88, 40-742 Katowice tel. +48 32 204 64 60, fax +48 32 204 64 66, (Bürozeiten), proszkowe@farbykabe.pl

#### 1.4 Emergency telephone number

Switzerland: Poisoning emergencies: Tox Info Suisse, telephone: +41 (0)44/251 66 66 or 145 (only within Switzerland) Germany: Poison Control Center Berlin: +49(0)30-19240 Austria: Poison Control Center AKA Vienna: +43(0)1/4064343 Poland: National Poison Information Center and Clinical Department of Toxicology: +48(42)6579900

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Cat-H412: Harmful to aquatic life with long lasting ef-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

egory 3 fects.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

**Additional Labelling** 

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

EUH208 Contains zinc di(benzothiazol-2-yl) disulphide, benzothiazole-2-thiol.

May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Paint

# Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
zinc di(benzothiazol-2-yl) disulphide	155-04-4 205-840-3	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
3,9-bis(2,4-di-tert-butylphenoxy)- 2,4,8,10-tetraoxa-3,9- diphosphaspiro[5.5]undecane	26741-53-7 247-952-5	Aquatic Chronic 1; H410	>= 0,25 - < 1
propylidynetrimethanol	77-99-6 201-074-9	Acute Tox. 3; H331 Repr. 2; H361	>= 0,1 - < 1

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

Version 1.1	Revision Date: 22.03.2023	SDS Number: 100000000184	Date of last issue: 12.01.2023 Date of first issue: 12.01.2023	
benzot	hiazole-2-thiol	149-30-4 205-736-8 613-108-00-3	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
Substa	nces with a workplace	exposure limit :		
calciun	n carbonate	471-34-1 207-439-9		>= 1 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

Version **Revision Date:** SDS Number: Date of last issue: 12.01.2023 22.03.2023 10000000184 Date of first issue: 12.01.2023 1.1

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

> Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Prevent product from entering drains. Environmental precautions

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

## 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : pigmented

Odour : very faint

Flash point : Not applicable

Lower explosion limit / Lower

flammability limit

: Lower explosion limit 40.000 - 80.000 mg/m3

Density : 1,9032 g/cm3 (20 °C)

Method: Calculated value

Solubility(ies)

Water solubility : insoluble

## 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No decomposition if stored and applied as directed.

## 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

#### 10.6 Hazardous decomposition products

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

#### Components:

zinc di(benzothiazol-2-yl) disulphide:

Acute oral toxicity : LD50 (Rat): 7.500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 7.940 mg/kg

3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:

Acute oral toxicity : LD50 (Rat): 5.580 mg/kg

propylidynetrimethanol:

Acute oral toxicity : LD50 (Rat): 14.700 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

benzothiazole-2-thiol:

Acute oral toxicity : LD50 (Rat): 3.800 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.270 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 7.940 mg/kg

calcium carbonate:

Acute oral toxicity : LD50 (Rat): 6.450 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks : May cause skin irritation and/or dermatitis.

# Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

Not classified based on available information.

**Product:** 

Remarks : Causes sensitisation.

# **Components:**

## zinc di(benzothiazol-2-yl) disulphide:

Result : May cause sensitisation by skin contact.

# Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## **Components:**

#### propylidynetrimethanol:

Reproductive toxicity - As-

: Suspected human reproductive toxicant

sessment

## STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.1 22.03.2023 100000000184 Date of first issue: 12.01.2023

**Further information** 

**Product:** 

Remarks : No data available

**SECTION 12: Ecological information** 

12.1 Toxicity

Components:

zinc di(benzothiazol-2-yl) disulphide:

Toxicity to fish : LC50 (Fish): 0,73 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 0,71 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0,5 mg/l

Exposure time: 72 h

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

propylidynetrimethanol:

Toxicity to fish : LC50 (Fish): > 1.000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 13.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): > 1.000 mg/l

Exposure time: 72 h

benzothiazole-2-thiol:

Toxicity to fish : LC50 (Fish): 0,73 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 0,71 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (algae): 0,5 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

Date of last issue: 12.01.2023 Version **Revision Date:** SDS Number: 22.03.2023 10000000184 Date of first issue: 12.01.2023 1.1

plants Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1

icity)

M-Factor (Chronic aquatic

toxicity)

: 1

calcium carbonate:

LC50 (Fish): 2.000 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): > 1.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): > 200 mg/l

Exposure time: 72 h

## 12.2 Persistence and degradability

#### **Components:**

# zinc di(benzothiazol-2-yl) disulphide:

Biodegradability

Result: Not biodegradable

propylidynetrimethanol:

Biodegradability

Result: Not readily biodegradable.

benzothiazole-2-thiol:

Biodegradability

Result: Not readily biodegradable.

calcium carbonate:

Biodegradability

Result: Not readily biodegradable.

## 12.3 Bioaccumulative potential

#### **Components:**

## zinc di(benzothiazol-2-yl) disulphide:

Bioaccumulation Bioconcentration factor (BCF): < 8,00

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

Partition coefficient: n-

octanol/water

: log Pow: 5,020

propylidynetrimethanol:

Bioaccumulation : Bioconcentration factor (BCF): < 17,00

benzothiazole-2-thiol:

Bioaccumulation : Bioconcentration factor (BCF): < 8,00

Partition coefficient: n-

octanol/water

log Pow: 2,420

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Other adverse effects

# **Product:**

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

Version Revision Date: SDS Number: Date of last issue: 12.01.2023
1.1 22.03.2023 100000000184 Date of first issue: 12.01.2023

# **SECTION 14: Transport information**

## 14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

zinc di(benzothiazol-2-yl) disulphide 3,9-bis(2,4-di-tert-butylphenoxy)-

2,4,8,10-tetraoxa-3,9-

diphosphaspiro[5.5]undecane

benzothiazole-2-thiol

Control of Major Accident Hazards Regulations

2015 (COMAH)

Not applicable

#### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Titanium dioxide (> 10 µm)

Polyester resin Acrylatpolymer

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

## 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H317 : May cause an allergic skin reaction.

H331 : Toxic if inhaled.

H361 : Suspected of damaging fertility or the unborn child.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# PE50UDSS S NS SM

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.01.2023

 1.1
 22.03.2023
 100000000184
 Date of first issue: 12.01.2023

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Classification of the mixture: Classification procedure:

Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**GB / 6N**